Material Safety Data Sheet

SPREADWET 600

Infosafe No.: X01ED Version No.: 2.0

ISSUED Date: 23/07/2021

ISSUED by: DKSH AGRISOLUTIONS PTY LTD

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name

SPREADWET 600

Product Code

140010514

Company name

DKSH AGRISOLUTIONS PTY LTD

Address

Level 3, 35 Cotham Road, Kew, Victoria 3101 AUSTRALIA

Emergency Tel.

1800 638 556

Telephone/Fax Number

Telephone: +61 3 9720 6306 Fax number: +61 3 9720 6407

Email

regaffairs.anz@dksh.com

Recommended Use

A tank mix adjuvant to improve wetting and spreading of pesticides.

2. HAZARD IDENTIFICATION

Hazard Classification

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin corrosion/irritation: Category 2
Eye damage/irritation: Category 1
Acute toxicity: Category 4 - Oral
Acute toxicity: Category 4 - Inhalation

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization

Liquid

Page 1 / 8 Jurisdiction: Au ghs

Product Name: SPREADWET 600 Issue Date: 23/07/2021

Ingredients

Name	CAS	Proportion
Poly(oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega- hydroxy-, branched	127087-87-0	30-60 %
2-(2-Butoxyethoxy) ethanol	112-34-5	1-20 %
Poly(oxy-1,2-ethanediyl), .alpha(dinonylphenyl)omega hydroxy-	9014-93-1	1-5 %
Ingredients determined not to be hazardous		Balance

4. FIRST-AID MEASURES

Inhalation

If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

If in eyes, hold eyelids apart and flush the eyes continuously with running water.Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide, dry chemical, foam, water mist or water spray. Alcohol resistant foam is preferred. If not available normal foam can be used.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Specific Hazards

This product will burn if exposed to fire.

Hazchem Code

•37

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

Unsuitable Extinguishing Media

Do not use water jet.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area away from sources of ignition, foodstuffs, clothing and incompatible materials such as oxidising agents. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

Storage Regulations

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940 2017.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards

No Exposure Limit Established

Biological Limit Values

No biological limits allocated.

Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices;

and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Liquid

Appearance

Clear liquid

Odour

Not available

Decomposition Temperature

Not available

Melting Point

Not available

Freezing Point

<0 °C

Boiling Point

Not available

Solubility in Water

Dispersible

Specific Gravity

1.02 (20 °C) (approximate)

pH Value

6-8 (1% aqueous solution)

Vapour Pressure

Not available

Vapour Density (Air=1)

Not available

Evaporation Rate

Not available

Odour Threshold

Not available

Viscosity

Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity

Colour

Not available

Volatile Component

Not available

Octanol/Water Partition Coefficient

Not available

Flash Point

>150 °C (Open Cup)

Flammability

Not flammable

Auto-Ignition Temperature

Not available

Flammable Limits - Lower

Not available

Flammable Limits - Upper

Not available

Explosion Properties

Not available

Oxidising Properties

Not available

Kinematic Viscosity

Not available

Dynamic Viscosity

Not available

10. STABILITY AND REACTIVITY

Stability and reactivity

Refer to Section 10: Possibility of hazardous reactions

Chemical Stability

Stable under normal conditions of storage and handling.

Conditions to Avoid

Heat, open flames and other sources of ignition.

Excessive heat will lead to accelerated oxidative degradation.

Incompatible materials

Strong oxidising agents.

Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes including: carbon dioxide and carbon monoxide.

Hazardous Reactions

Reacts with incompatible materials.

Hazardous Polymerization

Not available

11. TOXICOLOGICAL INFORMATION

Toxicology Information

No toxicity data available for this material.

Inhalation

Harmful if inhaled. Inhalation of product vapours can cause irritation of the nose, throat and respiratory system.

Ingestion

Harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

Skin

Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.

Eye

Causes serious eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

Reproductive Toxicity

Not considered to be toxic to reproduction.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Skin Sensitisation

Not expected to be a skin sensitiser.

Page 5 / 8

Jurisdiction: Au ghs

Product Name: SPREADWET 600 Issue Date: 23/07/2021

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Persistence / Degradability

Not available

Mobility

Not available

Bioaccumulative Potential

Not available

Other Adverse Effects

Not available

Environmental Protection

Do not discharge this material into waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

To minimise personal exposure, refer to Section 8 - Exposure controls and personal protection.

14. TRANSPORT INFORMATION

Transport Information

This material is classified as Dangerous Goods Class 9 Miscellaneous Dangerous Goods

Class 9: Miscellaneous substances Dangerous Goods are incompatible in a placard load with any of the following:

Class 1: Explosives (when the class 9 substance is a fire risk substance)

Division 5.1: Oxidising substances (when the class 9 substance is a fire risk substance) and

Division 5.2: Organic peroxides (when the class 9 substance is a fire risk substance)

Note: Special Provision AU01:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in:

packagings that do not incorporate a receptacle exceeding 500 kg(L); or

IRCs

U.N. Number

3082

Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Contains Poly(oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched)

DG Class

9

Packing Group

Ш

Hazchem Code

•3Z

Special Precautions for User

Not available

IERG Number

47

Page 6 / 8

UN Number (Air Transport, ICAO)

3082

IATA/ICAO Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE. LIQUID. N.O.S. (Contains Poly(oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched)

IATA/ICAO Hazard Class

IATA/ICAO Packing Group

IATA/ICAO Symbol

Miscellaneous Dangerous Goods

IMDG UN No

3082

IMDG Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Poly(oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched)(Poly(oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched) MARINE POLLUTANT

IMDG Hazard Class

9

IMDG Pack. Group

IMDG Marine pollutant

Yes

IMDG EMS

F-A,S-F

15. REGULATORY INFORMATION

Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

S5

Australia (AICS)

All components of this product are listed on the Inventory or exempted.

16. OTHER INFORMATION

Date of preparation or last revision of MSDS

SDS Reviewed: July 2021, Supersedes: July 2016

Page 7 / 8

Jurisdiction: Au ghs Product Name: SPREADWET 600

Issue Date: 23/07/2021

Contact Person/Point

IMPORTANT ADVICE: An SDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information contained in this SDS is believed to be correct but is not guaranteed. Prior to using the product(s) referred to in this SDS, each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including its use in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the supplier listed in section 1 of the SDS. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. DKSH Agrisolutions Pty Ltd does not accept any other liability either directly or indirectly for any losses suffered in connection with the use and application of the product whether or not in accordance with any advice, specification, recommendation or information given by it. DKSH Agrisolutions Pty Ltd SDS WARNING: DKSH Agrisolutions Pty Ltd is aware that third parties are distributing documents purporting to be SDSs (or the like) in relation to DKSH Agrisolutions Pty Ltd products without any authorisation from DKSH Agrisolutions Pty Ltd ("Unauthorised SDS"). DKSH Agrisolutions Pty Ltd accepts no responsibility for the distribution of an Unauthorised SDS by a third party or for any information contained therein. All DKSH Agrisolutions Pty Ltd products must be used in accordance with the corresponding original and current SDS authorised by DKSH Agrisolutions Pty Ltd for use with that DKSH Agrisolutions Pty Ltd product ("Authorised SDS"). In the event that an SDS in relation to an DKSH Agrisolutions Pty Ltd product has expired and is not marked as obsolete, please contact DKSH Agrisolutions Pty Ltd immediately to obtain a current SDS. Further, if an DKSH Agrisolutions Pty Ltd product is used without the Authorised SDS and/or with an Unauthorised SDS, or an expired SDS which is not marked obsolete, DKSH Agrisolutions Pty Ltd hereby excludes absolutely and to the maximum extent permitted by law all liability whatsoever and howsoever arising under contract, tort (including negligence) or otherwise for all loss and/or damage including, but not limited to, for personal injury, sickness or death, damage to real property and/or chattels and all indirect and consequential loss (including loss of profits).

References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

END OF MSDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Page 8 / 8 Jurisdiction: Au ghs

Product Name: SPREADWET 600 Issue Date: 23/07/2021