



# 1. Identification

Product identifier	TPG Maintenance	
Other means of identification		
Product code	30020	
Recommended use	Agricultural/ Horticultural Use- Fertilizer- Refer to product label	
Recommended restrictions	Refer to product label.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, IL 62711	
	United States	
Telephone	Corporate Office 1-217-547-5800	
Website E-mail	www.brandt.co msds@brandt.co	
Contact person	EH&S / Regulatory Department	
Emergency phone number	CHEMTREC (24 hours):	
	USA, Canada, Puerto Rico 1-800-424-9300	
	Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887	
0 llanand(a) identification		
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation Category 2B	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	Causes eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling.	
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of waste and residues in accordance with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

# 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
Phosphoric acid, monopotassium salt		7778-77-0	10 - < 20
Calcium Sulfate, dihydrate (Gypsum)		7778-18-9	< 1
Montmorillonite		1318-93-0	< 0.2*

Chemical name	Common name and synonyms	CAS number	%
Quartz, Dust, Respirable Fracti		14808-60-7	< 0.2
Other components below repor	table levels		80 - < 90
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptom	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical at	•	•
Eye contact	Do not rub eyes. Immediately flush eyes with contact lenses, if present and easy to do. Cor develops and persists.		
Ingestion	Rinse mouth. Get medical attention if sympton	ms occur.	
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may ex may irritate the respiratory tract, skin and eyes		, and discomfort. Dusts
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea Symptoms may be delayed.	at symptomatically. Keep victi	n under observation.
General information	Ensure that medical personnel are aware of the protect themselves.	ne material(s) involved, and ta	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	rotective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers		
Specific methods	Use standard firefighting procedures and cons	sider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep per appropriate protective equipment and clothing respirator if there is a risk of exposure to dust touch damaged containers or spilled material Ensure adequate ventilation. Local authorities contained. For personal protection, see section	during clean-up. Use a NIOS /fume at levels exceeding the unless wearing appropriate pr s should be advised if significa	H/MSHA approved exposure limits. Do no otective clothing.
Methods and materials for containment and cleaning up	Avoid the generation of dusts during clean-up HEPA filter. Stop the flow of material, if this is		cleaner equipped with
	Large Spills: Wet down with water and dike fo earth and place into containers. Shovel the m recovery, flush area with water.		
	Small Spills: Sweep up or vacuum up spillage up with absorbent material (e.g. cloth, fleece). contamination.		
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or		section 13 of the SDS
7. Handling and storage			
Precautions for safe handling	Minimize dust generation and accumulation. F where dust is formed. Do not breathe dust. Av Wear appropriate personal protective equipment	void contact with eyes. Avoid p ent. Observe good industrial h	orolonged exposure. Aygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store in a we materials (see Section 10 of the SDS).	ell-ventilated place. Store away	y from incompatible

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	for Air Contaminants (29 CFR 1910.1000) Type	) Value	Form
Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-3 (29 CF)	-	Malaa	Form
Components	Туре	Value	Form
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit		., .	<b>F</b>
Components	Туре	Value	Form
Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)	TWA	10 mg/m3	Inhalable fraction.
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to			_
Components	Туре	Value	Form
Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Quartz, Dust, Respirable Fraction (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
logical limit values	No biological exposure limits noted for the	e ingredient(s).	
oosure guidelines	Occupational exposure to nuisance dust should be monitored and controlled.	(total and respirable) and re	espirable crystalline silica
propriate engineering htrols	Good general ventilation should be used. applicable, use process enclosures, local maintain airborne levels below recommen established, maintain airborne levels to a sufficient to maintain concentrations of du (OEL), suitable respiratory protection must operation which may generate dusts, use below the recommended exposure limits.	exhaust ventilation, or othen nded exposure limits. If expo- n acceptable level. If engine ust particulates below the O st be worn. If material is gro appropriate local exhaust v	er engineering controls to osure limits have not beer eering measures are not ccupational Exposure Lim ound, cut, or used in any
ividual protection measures, Eye/face protection	such as personal protective equipment Wear safety glasses with side shields (or	goggles).	
Skin protection	····		
Hand protection	Wear appropriate chemical resistant glov	es.	
Other	Wear suitable protective clothing.		
Respiratory protection	Use a NIOSH/MSHA approved respirator exceeding the exposure limits.	if there is a risk of exposur	e to dust/fume at levels
Thermal hazards	Wear appropriate thermal protective cloth	ning, when necessary.	
neral hygiene nsiderations	Always observe good personal hygiene n and before eating, drinking, and/or smoki equipment to remove contaminants.		
Physical and chemical	properties		
pearance	Solid. Granular.		

#### Solid. **Physical state**

Form	Powder. Granular.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	455 °F (235 °C) estimated
Initial boiling point and boiling range	3072.2 °F (1689 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00007 hPa estimated
Vapor density	Not available.
Relative density	1.57 g/cm3 estimated
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	2.36 g/cm3 estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	2.36 estimated
10 Stability and reactivity	

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Causes eye irritation.
Ingestion	Knowledge about health hazard is incomplete.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Dusts may irritate the respiratory tract, skin and eyes.

Acute toxicity	Not known.	
Components	Species	Test Results
Phosphoric acid, monopotassiur	n salt (CAS 7778-77-0)	
<u>Acute</u>		
Oral		
LD50	Mouse	1700 mg/kg
Skin corrosion/irritation	Due to partial or complete lack of	data the classification is not possible.
Serious eye damage/eye rritation	Causes eye irritation.	
Respiratory or skin sensitizati	on	
Respiratory sensitization	Due to partial or complete lack of	data the classification is not possible.
Skin sensitization	Due to partial or complete lack of	data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of	data the classification is not possible.
	inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Due to partial or complete lack of data the classification is not possible.	
	II Evaluation of Carcinogenicity	
OSHA Specifically Regula	ted Substances (29 CFR 1910.1001-	Carcinogenic to humans. 1053)
US. National Toxicology F	Program (NTP) Report on Carcinoge	
Quartz, Dust, Respirab	le Fraction (CAS 14808-60-7) Kr	-
Reproductive toxicity	Due to partial or complete lack of	data the classification is not possible.
Specific target organ toxicity - single exposure	- Due to partial or complete lack of	data the classification is not possible.
Specific target organ toxicity repeated exposure	- Due to partial or complete lack of	data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of	data the classification is not possible.
Chronic effects	Prolonged inhalation may be harm	ıful.
12. Ecological information	- n	
•		vironmontally bozordous. However, this does not evolute the
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environmer	
Product	Species	Test Results
TPG Maintenance		
Aquatic		
-		
Fish	LC50 Fish Species	7704.1768 mg/l, 96 hours estimated <b>Test Results</b>

Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)

### Aquatic

Fish

Fathead minnow (Pimephales promelas) > 1970 mg/l, 96 hours

LC50

Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

# DOT

Not regulated as dangerous goods.

# ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz, Dust, Respirable Fraction (CAS 14808-60-7)

Cancer lung effects immune system effects kidney effects

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Serious eye damage or eye irritation categories

#### SARA 313 (TRI reporting) Not regulated.

# Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

#### (SDWA) US state regulations

### California Proposition 65

Safe Drinking Water Act



**WARNING:** This product can expose you to Quartz, Dust, Respirable Fraction, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz, Dust, Respirable Fraction (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Quartz, Dust, Respirable Fraction (CAS 14808-60-7)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date Revision date Version #	10-13-2023 10-16-2023 02
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.